



FAX	EMAIL	WEB	SMS
RP	SP	OP	LOCAL

ODISHA STATE CIVIL SUPPLIES CORPORATION LTD.
C/2, NAYAPALLI, BHUBANESWAR-12

FAX No. - 0674 - 2395291, Tel. No. - 0674 - 2391953

No.-PP (Q.C) 10 / 2015 / 21698 Date: 14.12.15

From

Shri Niranjan Nayak, OAS (SAG)
Managing Director

To

All Procurement Inspectors &
RRC / RRC-cum-DSC in-charge
OSCSC Ltd.

Sub: Acceptance of quality rice as per the Uniform Specification in RRC / CWC / OSWC depot.

It has come to the notice of undersigned that prescribed quality check as per the Uniform Specification of Government of India is not ensured at the time of accepting CMR from custom millers as a result of which poor quality rice is received in RRC / CWC / OSWC Depot.

It deserves mention here that Quality Analysts have been deployed in different depots for quality check of samples at the time of receipt. In absence of Quality Analyst, the Procurement Inspector has been assigned with the responsibility of quality check of rice as per the job chart. Besides, arrangement has also been made for joint analysis and acceptance of CMR in OSWC / CWC depot with proper quality check.

Only due to inaction of Procurement Inspectors as well as Quality Analysts in RRC / RRC-cum-DSCs where deployed, it is found that Quality Control mechanism of procurement operation is not streamlined.

You are therefore directed to ensure receipt of only FAQ rice after prescribed quality check without any compromise failing which stringent action shall be taken against you as well as against the concerned Quality Analysts.

You are free to inform the undersigned instantly over phone / by mail, in case of any influence / pressure from any side for accepting poor quality stocks.

This may be treated as MOST URGENT.


Managing Director
P.T.O

Memo No- 21699 Date- 14.12.15

Copy to the Additional Secretary to Govt., Food Supplies & Consumer Welfare Deptt., Odisha, Bhubaneswar for information and necessary action.


Managing Director

Memo No- 21700 Date- 14.12.15

Copy to all CSO-cum-District Manager, OSCSC Ltd. for information and necessary action.


Managing Director

Memo No- 21701 Date- 14.12.15

Copy to all Quality Analysts concerned for information. They are directed to conduct quality check properly and recommend for receipt of CMR as per Uniform Specification.


Managing Director